



轻载型



SCELP
平行向



SCELV
垂直向

订购编号示例 1 代号 - 2 D - 3 L - 4 材料代码
SCELP - 5 - 20 - M01

1 代号	2 D	3 L	d	动态负载时		初拉力 (N)	刚度系数 (N/mm)
				工作行程 S (mm)	工作极限载荷 (N)		
SCELP	2	10	0.25	5.7	1.86	0.34	0.27
		15		10.3			0.15
		20		14			0.11
		25		18.2			0.08
		30		22.1			0.07
SCELP SCELV (括号内尺寸仅限 SCELP)	3	10	0.3	8.7	2.25	0.29	0.23
		15		16.6			0.12
		20		25			0.08
		25		33.3			0.06
		30		40			0.05
	4	15	0.4	10	3.24	0.59	0.26
		20		16.8			0.16
		25		22.5			0.12
		30		28.4			0.09
		35		33.7			0.08
SCELP SCELV (括号内尺寸仅限 SCELP)	5	15	0.5	38.5	4.22	0.88	0.07
		20		6.8			0.49
		25		11.7			0.28
		30		17			0.20
		35		21.2			0.16
	6	20	0.6	26.1	8.14	1.27	0.13
		25		34			0.10
		30		37.7			0.09
		40		42.5			0.08
		50		53.8			0.13
SCELP SCELV (括号内尺寸仅限 SCELP)	7	25	0.7	63.6	12.75	2.35	0.11
		30		70			0.10
		35		15.1			0.69
		40		21.2			0.49
		45		26.5			0.39
SCELP SCELV (括号内尺寸仅限 SCELP)	8	40	0.8	33.1	12.75	2.35	0.31
		45		39.2			0.26
		50		46			0.23
		55		48.1			0.22
		60		53			0.20
	9	65	0.9	58.8			0.18
		70		66.2			0.16
		75		73.6			0.15
		80		81			0.14
		85		88.5			0.13

1 代号	2 D	3 L	d	动态负载时		初拉力 (N)	刚度系数 (N/mm)
				工作行程 S (mm)	工作极限载荷 (N)		
SCELP SCELV (括号内尺寸仅限 SCELP)	10	30	1	11.5	15	3.73	0.98
		35		15.3			0.74
		40		19.8			0.57
		45		23.9			0.47
		50		28.7			0.39
		55		32.8			0.34
		60		37			0.30
		65		39.6			0.29
		70		44.2			0.26
		75		47.9			0.24
	12	80		52.2	31.37	5.39	0.22
		(90)		60.5			0.19
		(100)		71.8			0.16
		35		22			1.18
		40		27.8			0.93
		45		35.3			0.74
		50		42			0.62
		55		50			0.52
		60		55.2			0.47
		65		63			0.41
SCELP	14	70	1.2	69.7	38.24	8.43	0.37
		75		77.9			0.33
		80		82.8			0.31
		90		91.3			0.29
		100		106			0.25
		40		15.4			1.94
		45		21			1.42
		50		25.4			1.17
		55		30.8			0.97
		60		37			0.80
	16	65		43.2	43.15	9.12	0.69
		70		46.2			0.64
		75		52.8			0.56
		80		58.3			0.51
		90		68.1			0.43
		100		76.4			0.39
		125		91			0.33
		45		15.8			2.16
		50		21			1.62
		55		25.7			1.32
SCELP (仅限 M01 材质)	18	60	1.5	31.5	52.96	9.81	1.08
		65		35.8			0.95
		70		40.8			0.83
		75		46.3			0.74
		80		49.6			0.69
		90		60.9			0.56
		100		69.4			0.49
		125		91.3			0.37
		150		115.6			0.29
	20	50	1.8	21	78.45	12.75	2.05
		55		26			1.66
		60		31			1.39
		65		36			1.20
		70		42			1.03
		75		46			0.94
		80		54			0.80
		90		66			0.65
		100		75			0.58
		125		104.5			0.41
SCELP (仅限 M01 材质)	22	150	2	132	127.5	16.75	0.33
		175		167.5			0.29
		60		29.1			2.26
		70		41.8			1.57
		80		53.6			1.23
		90		67			0.98
		100		78.8			0.83
		125		111.6			0.59
		150		139.5			0.47
		175		167.5			0.39

△ 初拉力、刚度系数为参考值。载荷 (kgf) = 载荷 N × 0.101972

代号	类型	1 材料代码	材质
SCELP SCELV	轻载型	M01	SWP-A/B
		M02	SUS304-SWPB